

# LFD-HR-1515H - Hose Cabinets, Racks and Reels

## Hose Cabinets, Racks and Reels

File Number: EX28100

### COMPANY

#### LICHFIELD FIRE & SAFETY EQUIPMENT CO LTD

UNIT 8, CALIBRE INDUSTRIAL PARK  
LACHES CLOSE FOUR ASHES  
WOLVERHAMPTON, WV10 7DZ United Kingdom

### MODEL INFO

#### LFD-HR-1515H

Semiautomatic hose rack

### PRODUCT INFORMATION

Hose Manufacturer and Model	Interior Standpipe System Size, in.	Maximum Hose Size, in.	Maximum Service Pressure, psig (kPa)	Maximum Hose Length, ft (m)	Standpipe Valve Type
ASC Engineered Solutions, LLC Model 76;MERCEDES TEXTILES LTD Model 503 MTL;SFFECO GLOBAL FZE (Formerly Saudi Factory For Fire Equipment FZCO) Model SFD-FH-SJ40HR	1-1/2	1-1/2 lined	175 (1206)	100 (30)	Hose Valve (VTSR or VTSR7);Pressure Reducing Valve (VUTX or VUTX7)

### USE LIMITATIONS

#### Notes

For use only with the manufacturer/model hose indicated on the product label.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2023 UL LLC."

# LFD-HR-1515L - Hose Cabinets, Racks and Reels

## Hose Cabinets, Racks and Reels

File Number: EX28100

### COMPANY

#### LICHFIELD FIRE & SAFETY EQUIPMENT CO LTD

UNIT 8, CALIBRE INDUSTRIAL PARK  
LACHES CLOSE FOUR ASHES  
WOLVERHAMPTON, WV10 7DZ United Kingdom

### MODEL INFO

#### LFD-HR-1515L

Semiautomatic hose rack

### PRODUCT INFORMATION

Hose Manufacturer and Model	Interior Standpipe System Size, in.	Maximum Hose Size, in.	Maximum Service Pressure, psig (kPa)	Maximum Hose Length, ft (m)	Standpipe Valve Type
ASC Engineered Solutions, LLC Model 76;MERCEDES TEXTILES LTD Model 503 MTL;SFFECO GLOBAL FZE (Formerly Saudi Factory For Fire Equipment FZCO) Model SFD-FH-SJ40HR	1-1/2	1-1/2 lined	150 (1034)	100 (30)	Hose Valve (VTSR or VTSR7);Pressure Reducing Valve (VUTX or VUTX7)

### USE LIMITATIONS

#### Notes

For use only with the manufacturer/model hose indicated on the product label.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2023 UL LLC."

# LFD-HR-2515H - Hose Cabinets, Racks and Reels

## Hose Cabinets, Racks and Reels

File Number: EX28100

### COMPANY

#### LICHFIELD FIRE & SAFETY EQUIPMENT CO LTD

UNIT 8, CALIBRE INDUSTRIAL PARK  
LACHES CLOSE FOUR ASHES  
WOLVERHAMPTON, WV10 7DZ United Kingdom

### MODEL INFO

#### LFD-HR-2515H

Semiautomatic hose rack

### PRODUCT INFORMATION

Hose Manufacturer and Model	Interior Standpipe System Size, in.	Maximum Hose Size, in.	Maximum Service Pressure, psig (kPa)	Maximum Hose Length, ft (m)	Standpipe Valve Type
ASC Engineered Solutions, LLC Model 76;MERCEDES TEXTILES LTD Model 503 MTL;SFFECO GLOBAL FZE (Formerly Saudi Factory For Fire Equipment FZCO) Model SFD-FH-SJ40HR	2-1/2	1-1/2 lined	175 (1206)	100 (30)	Hose Valve (VTSR or VTSR7);Pressure Reducing Valve (VUTX or VUTX7)

### USE LIMITATIONS

#### Notes

For use only with the manufacturer/model hose indicated on the product label.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2023 UL LLC."

# LFD-HR-2515L - Hose Cabinets, Racks and Reels

## Hose Cabinets, Racks and Reels

File Number: EX28100

### COMPANY

#### LICHFIELD FIRE & SAFETY EQUIPMENT CO LTD

UNIT 8, CALIBRE INDUSTRIAL PARK  
LACHES CLOSE FOUR ASHES  
WOLVERHAMPTON, WV10 7DZ United Kingdom

### MODEL INFO

#### LFD-HR-2515L

Semiautomatic hose rack

### PRODUCT INFORMATION

Hose Manufacturer and Model	Interior Standpipe System Size, in.	Maximum Hose Size, in.	Maximum Service Pressure, psig (kPa)	Maximum Hose Length, ft (m)	Standpipe Valve Type
ASC Engineered Solutions, LLC Model 76;MERCEDES TEXTILES LTD Model 503 MTL;SFFECO GLOBAL FZE (Formerly Saudi Factory For Fire Equipment FZCO) Model SFD-FH-SJ40HR	2-1/2	1-1/2 lined	150 (1034)	100 (30)	Hose Valve (VTSR or VTSR7);Pressure Reducing Valve (VUTX or VUTX7)

### USE LIMITATIONS

#### Notes

For use only with the manufacturer/model hose indicated on the product label.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2023 UL LLC."